


Figure 87

Outcome of Request for Heart Donation 2006



Refer to Appendices for reasons hearts were not requested, not retrieved and not transplanted.

Figure 88


Age of Donors Providing Transplanted Hearts 2002 - 2006										
		Age Groups								
	Year	00-04	05-14	15-24	25-34	35-44	45-54	55-64	65-74	Total
Australia	2002	1	8	29	10	15	14	3	0	80
	2003	0	3	21	8	17	17	2	0	68
	2004	0	1	28	16	11	17	5	0	78
	2005	0	3	21	12	17	20	5	0	78
	2006	0	6	28	12	10	18	2	0	76
New Zealand	2002	0	1	1	0	4	2	1	0	9
	2003	0	2	8	3	6	3	3	0	25
	2004	0	0	3	1	1	0	1	0	6
	2005	0	0	2	2	2	6	4	0	16
	2006	0	0	3	3	2	1	0	0	9

Also includes hearts used for heart/lung transplants

Figure 89

Age of Donors Providing Transplanted Hearts - Australia 2006

Donors (76)



Age of Donors Providing Transplanted Hearts - New Zealand 2006

Donors (9)





Figure 90

Heart Transplants by Transplant State Australia and New Zealand 2005 - 2006

**Figure 91**

Heart and Lung Transplant Recipients By Transplant Country 2001 - 2006

	Heart/Lung	2001	2002	2003	2004	2005	2006
Australia	Heart	67	73	66	74	75	71
	Heart/lung	2	8	5	6	6	6
	Double Lung	47	66	58	82	71	79
	Single left lung	10	12	9	7	5	8
	Single right lung	16	13	7	6	5	8
	Total		142	172	145	175	162
New Zealand	Heart	15	8	22	4	13	8
	Heart/lung	0	0	0	0	0	0
	Double lung	9	5	10	9	8	9
	Single left lung	1	1	2	0	0	1
	Single right lung	1	2	2	0	0	0
	Total		26	16	36	13	21

Figure 92

Regional Outcome of Requests for Heart Donation 1989 - 2006

	QLD	NSW	ACT	VIC	TAS	SA	NT	WA	AUST	NZ *
Total Donors	714	1110	86	799	62	468	37	305	3581	517
Requested	674	920	76	690	55	352	31	241	3039	419
Consented	643	864	70	653	53	340	30	222	2875	407
Retrieved	353	493	49	387	37	185	13	126	1643	178
Transplanted	351	485	48	356	34	179	13	122	1588	177

* New Zealand 1993 - 2006
Includes Hearts only, Heart/Lungs and Heart / (L) Lung

HEART VALVE DONATION

The aortic and pulmonary heart valves can often be viable for transplantation when the whole heart is not suitable. Heart valves can be stored for up to five years.

This data relates only to heart valves retrieved from organ donors.

Figure 93

Outcome of Request for Heart Valve Donation 2006




Figure 94

Age of Heart Valve Donors 2002 - 2006												
		Age Groups										
		Year	00-04	05-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	Total
Australia	2002	2	4	8	4	11	15	10	0	0	54	
	2003	1	2	7	4	4	11	8	0	1	38	
	2004	0	3	3	6	4	13	7	0	0	36	
	2005	4	3	1	2	4	17	3	0	0	34	
	2006	0	2	3	5	10	10	4	0	0	34	
New Zealand	2002	0	2	1	2	6	7	2	0	0	20	
	2003	0	0	4	1	4	0	0	0	0	9	
	2004	0	0	4	3	3	3	8	0	0	21	
	2005	0	0	1	1	2	1	0	0	0	5	
	2006	0	0	3	0	1	1	1	0	0	6	


Figure 95

Regional Outcome of Requests for Heart Valve Donation 1989 - 2006										
	QLD	NSW	ACT	VIC	TAS	SA	NT	WA	AUST	NZ *
Total Donors	714	1110	86	799	62	468	37	305	3581	517
Requested	255	264	17	168	11	90	5	71	881	228
Consented	242	255	16	156	11	85	5	67	837	221
Retrieved	194	193	14	98	8	62	3	57	629	203
Transplanted or Stored	192	183	14	96	8	60	3	56	612	201

* New Zealand 1993 - 2006

Figure 96

Outcome of Request for Lung Donation 2006



Refer to Appendices for reasons lungs were not requested, not retrieved and not transplanted


Figure 97

		Age Groups									Total
		Year	00-04	05-14	15-24	25-34	35-44	45-54	55-64	65-74	
Australia	2002	0	6	27	7	19	17	9	0	0	85
	2003	0	2	20	7	12	15	10	0	1	67
	2004	0	4	24	23	16	17	11	0	0	95
	2005	0	4	14	13	18	27	6	0	0	82
	2006	0	7	27	16	9	23	11	0	0	93
New Zealand	2002	0	0	0	0	8	2	2	0	0	12
	2003	0	1	5	3	8	0	2	0	0	19
	2004	0	0	3	1	1	0	6	0	0	11
	2005	0	0	2	0	2	5	2	0	0	11
	2006	0	1	1	3	5	1	2	0	0	13

Figure 98

Age of Donors Providing Transplanted Lungs - Australia 2006

Donors (93)



Age of Donors Providing Transplanted Lungs - New Zealand 2006

Donors (13)




Figure 99

Lung Transplant Recipients 2005 - 2006 by Transplant State - Australia and NZ



Bilateral Sequential (Double) and Single Lung Transplants by State 2005 - 2006




Figure 100

Regional Outcome of Requests for Lung Donation 1989 - 2006										
	QLD	NSW	ACT	VIC	TAS	SA	NT	WA	AUST	NZ **
Total Donors	714	1110	86	799	62	468	37	305	3581	517
Requested	642	886	76	636	51	307	30	212	2840	352
Consented	604	833	69	606	49	294	29	198	2682	346
Retrieved x	409	709	71	533	54	282	28	173	2259	271
Transplanted x	382	686	69	495	54	270	27	168	2151	252

X Number of Lungs (Includes Heart/Double Lungs and Heart/Single (L) Lung)
 ** New Zealand 1993 - 2006

DONOR LUNG FUNCTION

AUSTRALIA

There were 45 Australian lung donors (48%) who had a bronchoscopy in 2006. Thirteen donors had chest trauma; these included contusions (7), chest drain (3), pneumothorax (2) and CPR (1).

The arterial blood gases were taken on 100% FiO₂ and PEEP of 5 cm. Fifteen donors had a PEEP >5 cm. The results from 78 lung donors in 2006 show 22% (17) to be acidotic (pH < 7.35) and 6% (5) to be alkalotic (pH > 7.45).

Oxygenation measured as PaO₂ ranged from 228-579 mmHg with a median of 453 mmHg.

PaCO₂ ranged from 26.0-49.5 mmHg with a median of 35.2 mmHg.

NEW ZEALAND

There was one (8%) of New Zealand lung donors who had a bronchoscopy in 2006. One donor had fractured ribs.


The arterial blood gas results from 13 lung donors in 2006 shows 23% (3) to be acidotic (pH < 7.35) and 23% (3) to be alkalotic (pH > 7.45).

Oxygenation measured as PaO₂ ranged from 385-616 mmHg with a median of 475 mmHg.

PaCO₂ ranged from 33.0-49.5 mmHg with a median of 38.0 mmHg.

PANCREAS DONATION

Figure 101



There were 33 combined kidney/pancreas transplants performed in 2006: twenty five at Westmead Hospital, NSW and eight at Monash Medical Centre, Victoria.

One pancreas only and one islets transplant were performed at Westmead and seven islets transplants at the Prince of Wales, NSW in 2006.

In New Zealand there were six combined kidney/pancreas transplants performed in Auckland in 2006.


Figure 102

Waiting List		
	AUST	NZ **
Number of Patients with Diabetes Type 1 on dialysis (December 2005) *	215	47
Patients < 45 years of age	116	24
Patients < 55 years of age	176	40
Number of patients on the Kidney Transplant Waiting List *	1394	433
Number of patients on the Kidney Pancreas Transplant Waiting List	39	4
Number of patients on the Pancreas only Waiting List	3	-
Number of patients on the Islet Transplant Waiting List	4	-

Reference: * ANZDATA Registry NOMS (National Organ Matching Service)
National Pancreas Registry and Dr Kanellis (Pancreas-Victoria)
** NZ Donor Coordinators

Figure 103

Outcome of Request for Pancreas Donation 2006



Refer to Appendices for reasons pancreas were not requested, not retrieved and not transplanted

Figure 104

Age of Donors Providing Transplanted Pancreas 2002 - 2006									
		Age Groups							
Year		00-04	05-14	15-24	25-34	35-44	45-54	55-64	Total
Australia	2002	0	1	14	6	2	2	0	25
	2003	0	0	14	4	7	0	0	25
	2004	0	1	11	6	9	1	0	28
	2005	0	2	11	8	8	4	0	33
	2006	0	1	15	9	8	1	0	34
New Zealand	2002	0	0	1	0	0	1	0	2
	2003	0	0	3	2	1	0	0	6
	2004	0	0	1	0	1	0	0	2
	2005	0	0	0	1	1	0	0	2
	2006	0	0	3	2	1	0	0	6

Figure 105

Age of Donors Providing Transplanted Islets 2002 - 2006										
		Age Groups								
Year		00-04	05-14	15-24	25-34	35-44	45-54	55-64	65-74	Total
Australia	2002	0	0	0	1	0	0	0	0	1
	2003	0	0	1	0	3	0	2	0	6
	2004	0	0	2	0	1	0	0	0	3
	2005	0	0	0	0	1	0	0	0	1
	2006	0	0	1	1	1	1	2	1	7

Figure 106

Age of Donors Providing Transplanted Pancreas and Islets - Australia 2006




Figure 107

Regional Outcome of Requests for Pancreas 1989 - 2006										
	QLD	NSW	ACT	VIC	TAS	SA	NT	WA	AUST	NZ **
Total Donors	714	1110	86	799	62	468	37	305	3581	517
Requested	600	859	76	475	32	172	12	113	2339	242
Consented	536	814	70	444	29	151	12	91	2147	235
Retrieved	33	247	25	200	15	52	0	61	633	36
Transplanted	25	160	15	86	11	27	0	4	328	27
Pancreas Islets	0	13	1	3	0	1	0	0	18	0

** New Zealand 1993 - 2006

CORNEAL DONATION

This section refers only to corneas donated from solid organ donors. It does not include any cases of cornea only donation.

Full data is available from The Australian Corneal Graft Registry (Editors K.A. Williams, S.M. Muehlberg, C. Bartlett and D.J. Coster), Flinders Medical Centre, Bedford Park 5042, South Australia.

Figure 108

Outcome of Request for Corneal Donation 2006

Australia	New Zealand
Total Donors 202	Total Donors 25
↓ No request for corneal donation 37	↓ No request for corneal donation 14
Request for donation 165	Request for donation 11
↓ No consent given 59	↓ No consent given 2
Consent given 106 Donors	Consent given 9 Donors
↓ Corneas not retrieved 38	↓ Corneas not retrieved 0
Corneas retrieved 174	Corneas retrieved 18
↓ Corneas not transplanted 12	↓ Corneas not transplanted 2
Corneas Transplanted 99	Corneas Transplanted 2
Corneas Stored 63	Corneas Stored 14
Sent to Eye Bank	Sent to Eye Bank

Refer to Appendices for reasons cornea were not requested, not retrieved and not transplanted

Figure 109

Age of Corneal Donors 2002 - 2006												
		Age Groups										
	Year	00-04	05-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85-94	Total
Australia	2002	1	4	18	5	16	23	25	6	2	0	100
	2003	0	2	13	4	6	25	12	6	2	1	71
	2004	0	4	13	10	11	31	20	10	1	0	100
	2005	0	4	8	9	12	18	21	8	1	0	81
	2006	0	3	13	8	12	14	22	10	1	0	83
New Zealand	2002	0	0	0	1	6	5	3	0	0	0	15
	2003	0	0	7	1	7	1	3	0	0	0	19
	2004	0	0	5	2	2	2	4	2	0	0	17
	2005	0	0	0	1	1	6	4	0	0	0	12
	2006	0	0	3	1	0	1	2	1	0	0	8

Figure 110


Regional Outcome of Requests for Corneal Donation 1989 - 2006										
	QLD	NSW	ACT	VIC	TAS	SA	NT	WA	AUST	NZ **
Total Donors	714	1110	86	799	62	468	37	305	3581	517
Requested	652	978	77	715	43	328	9	224	3026	282
Consented	451	710	45	553	32	203	6	144	2144	224
Retrieved x	641	1322	77	1061	57	353	2	258	3771	380
Gone to Eye Bank xx	629	1045	62	1037	54	339	2	246	3414	374

x Number of Corneas xx Gone to Eye Bank - Transplanted later
** New Zealand 1993 - 2006

BONE DONATION

Figure 111

Outcome of Request for Bone Donation 2006



Refer to Appendices for reasons bones were not requested, not retrieved and not transplanted

Figure 112

Age of Bone Donors 2002 - 2006											
		Age Groups									
	Year	00-04	05-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	Total
Australia	2002	0	0	2	1	3	1	0	0	0	7
	2003	0	0	4	4	1	3	1	0	0	13
	2004	0	0	6	1	1	6	2	0	0	16
	2005	0	0	1	0	1	6	2	0	0	10
	2006	0	0	6	2	3	3	3	0	0	17
New Zealand	2002	0	2	0	0	2	0	0	0	0	2
	2003	0	0	1	0	1	0	0	0	0	2
	2004	0	0	0	0	0	0	0	0	0	0
	2005	0	0	1	0	0	0	0	0	0	1
	2006	0	0	0	0	0	0	0	0	0	0

Figure 113

Regional Outcome of Bone Donation 1989 - 2006										
	QLD	NSW	ACT	VIC	TAS	SA	NT	WA	AUST	NZ **
Total Donors	714	1110	86	799	62	468	37	305	3581	517
Requested	562	77	4	88	5	180	3	140	1059	175
Consented	377	57	4	54	3	72	3	81	651	138
Retrieved	150	8	0	19	2	48	0	47	274	37
Transplanted/Stored	146	8	0	12	2	48	0	46	262	37

** New Zealand 1993 - 2006

TERMINAL MANAGEMENT

TIME FROM ADMISSION TO BRAIN DEATH

AUSTRALIA

In 2006, 37% of Australian donors were declared brain dead within 23 hours of hospital admission.

The median time from admission to brain death was 33.0 hours.

Fourteen percent of donors were in hospital for more than five days.

NEW ZEALAND

In 2006, 12% of New Zealand donors were declared brain dead within 23 hours of hospital admission.

Time of admission to hospital was unknown in 16% of donors. The median time from admission to brain death was 43.5 hours.

Four percent of donors were in hospital for more than five days.

Figure 114

Time from Admission to Brain Death 2002 - 2006												
	Year	Hours								Not Known	Median (hours)	No. of Donors
		0-23	24-47	48-71	72-95	96-119	120-143	144-167	>=168			
Australia	2002	39%	28%	16%	4%	4%	2%	1%	6%	0%	30.3	206
	2003	37%	32%	10%	7%	3%	2%	1%	8%	0%	28.6	179
	2004	36%	30%	11%	8%	5%	3%	1%	6%	0%	33.3	218
	2005	30%	32%	16%	3.5%	5%	1.5%	1%	10%	1%	36.7	204
	2006	37%	27%	8%	10%	3%	4%	4%	6%	<1%	33.0	202
New Zealand	2002	44%	33%	3%	6%	3%	0%	3%	8%	6%	25.6	38
	2003	35%	20%	5%	5%	8%	0%	0%	0%	27%	24.0	40
	2004	33%	25%	10%	0%	2%	2%	2%	8%	18%	26.3	40
	2005	38%	14%	10%	7%	3.5%	0%	0%	10.5%	17%	31.2	29
	2006	12%	32%	12%	20%	4%	4%	0%	0%	16%	43.5	25

Figure 115

Australian States Time from Admission to Brain Death 2006												
States	Hours								Not Known	Median (hours)	No. of Donors	
	0-23	24-47	48-71	72-95	96-119	120-143	144-167	>=168				
Queensland	36%	33%	11%	6%	2%	0%	6%	6%	0%	32.2	36	
New South Wales	44%	22%	14%	12%	0%	2%	0%	6%	0%	26.2	50	
ACT	50%	25%	25%	0%	0%	0%	0%	0%	0%	24.3	4	
Victoria	31%	27%	4%	13%	7%	7%	7%	2%	2%	33.3	45	
Tasmania	37.5%	25%	0%	0%	12.5%	12.5%	0%	12.5%	0%	35.9	8	
South Australia	36%	14%	8%	15%	3%	5%	5%	14%	0%	50.4	36	
Northern Territory	0%	50%	0%	50%	0%	0%	0%	0%	0%	54.5	2	
Western Australia	38%	47%	0%	5%	0%	5%	5%	0%	0%	29.3	21	

Figure 116

Time from Ventilation to Brain Death 2002 - 2006												
	Year	Hours								Not Known	Median (hours)	No. of Donors
		0-23	24-47	48-71	72-95	96-119	120-143	144-167	>=168			
Australia	2002	38%	31%	16%	4%	3%	1%	1%	5%	<1%	29.3	206
	2003	39%	35%	7%	6%	4%	2%	<1%	12%	0%	27.0	179
	2004	39%	33%	12%	7%	4%	1%	1%	3%	0%	29.7	218
	2005	32%	37%	16%	4%	2%	1%	0%	7%	<1%	31.4	204
	2006	40%	28%	12%	8%	2.5%	2.5%	2.5%	3.5%	1%	28.8	202
New Zealand	2002	42%	32%	5%	5%	2.5%	2.5%	0%	0%	11%	24.8	38
	2003	43%	18%	2%	5%	5%	2%	0%	0%	25%	21.1	40
	2004	40%	22.5%	7.5%	2.5%	5%	0%	2.5%	5%	15%	25.3	40
	2005	34.5%	17%	14%	0%	0%	0%	0%	10.5%	24%	27.7	29
	2006	36%	28%	16%	0%	4%	0%	0%	0%	16%	28.4	25

TIME FROM BRAIN DEATH TO AORTIC CROSS CLAMP

AUSTRALIA

Thirty one percent of donors had undergone aortic cross clamp within twelve hours of the certification of brain death in 2006.

The median time was 14.7 hours.

NEW ZEALAND

In 2006, 76% of donors had undergone aortic cross clamp within twelve hours of certification of brain death.

The median time was 9.8 hours

Figure 117

Time from Brain Death to Aortic Cross Clamp 2002 - 2006										
Hours	Australia					New Zealand				
	2002	2003	2004	2005	2006	2002	2003	2004	2005	2006
<=6	4%	3%	5%	5%	4%	18%	12.5%	12.5%	3%	8%
7 - 12	48%	42%	40%	30%	27%	61%	67.5%	70%	80%	68%
13 - 18	39%	41%	44%	48%	48%	13%	17.5%	17.5%	17%	16%
19 - 24	6%	7%	6%	13%	13%	3%	0%	0%	0%	8%
> 24	3%	7%	5%	4%	8%	5%	2.5%	0%	0%	0%
Median Hours	12.8	13.4	13.5	14.5	14.7	9.5	9.9	9.6	10.3	9.8
Number of Donors	204	178	215	195	194	38	40	40	29	25
Donation after Cardiac Death	2	1	3	9	8	0	0	0	0	0

Figure 118

Australian States Time from Brain Death to Aortic Cross Clamp 2006								
	QLD	NSW	ACT	VIC	TAS	SA	NT	WA
<= 6 hours	0%	2%	0%	5%	12.5%	12%	0%	0%
7 - 12 hours	33%	33%	0%	27%	12.5%	36.5%	0%	0%
13 - 18 hours	56%	54%	100%	48%	12.5%	33.5%	0%	52%
19 - 24 hours	5.5%	2%	0%	20%	62.5%	9%	0%	29%
> 24 hours	5.5%	9%	0%	0%	0%	9%	100%	19%
Median Hours	14.3	14.7	16.7	14.6	22.2	13.1	28.8	18.2
Number of Donors	36	46	4	44	8	33	2	21
Donation after Cardiac Death	0	4	0	1	0	3	0	0

DONOR MAINTENANCE

DRUGS FOR MAINTENANCE OF THE DONOR (GIVEN IN THE INTENSIVE CARE/CRITICAL CARE UNIT)

AUSTRALIA

There were 7% (15) of donors who did not require inotropic support in 2006.

Antidiuretic agents (desmopressin/vasopressin) were prescribed to 60% (121) of all donors.

MAP <50 mm Hg

Mean arterial blood pressure (MAP) <50 mm Hg was recorded in 5% (10) of donors in Australia in 2006. Three donors had a duration of less than one hour and six donors had one hour or longer.

Range was fifteen minutes to one and a half hours.

NEW ZEALAND

In 2006 there were four donors (16%) who did not require inotropic support.

Antidiuretic agents (desmopressin/vasopressin) were prescribed to 52% (13) of all donors.

MAP <50 mm Hg

Three donors were reported with a mean arterial blood pressure (MAP) <50 mm Hg. One donor had a duration of less than one hour and two donors had one hour or greater.

Range was three quarters of an hour to two hours.

Figure 119

Donor Maintenance 2002 - 2006										
Drugs	Australia					New Zealand				
	2002	2003	2004	2005	2006	2002	2003	2004	2005	2006
Number of Donors	(206)	(179)	(218)	(204)	(202)	(38)	(40)	(40)	(29)	(25)
Dopamine	18	12	22	15	15	10	9	6	1	2
Adrenaline	42	34	28	26	21	2	0	4	0	1
Noradrenaline	151	138	174	165	156	31	28	44	26	20
Aramine	7	12	4	4	11	0	2	0	0	0
Dobutamine	5	3	3	8	5	0	0	0	1	0
Desmopressin / DDAVP	134	122	133	127	121	14	20	16	20	13

NB: Donors may be given more than one drug

Figure 120

Australian States Donor Maintenance 2006 (2005)								
	QLD	NSW	ACT	VIC	TAS	SA	NT	WA
Number of Donors	36 (35)	50 (54)	4 (9)	45 (50)	8 (2)	36 (20)	2 (4)	21 (30)
Dopamine	7 (9)	6 (2)	0 (1)	2 (1)	0 (1)	0 (0)	0 (0)	0 (1)
Adrenaline	1 (1)	6 (7)	0 (0)	2 (9)	1 (1)	10 (5)	0 (0)	1 (3)
Noradrenaline	22 (23)	39 (41)	4 (9)	38 (43)	8 (1)	22 (18)	2 (4)	21 (26)
Aramine	0 (0)	6 (1)	2 (0)	2 (2)	0 (0)	0 (1)	0 (0)	1 (0)
Dobutamine	0 (2)	1 (2)	1 (1)	1 (2)	0 (0)	2 (0)	0 (0)	0 (1)
Desmopressin / DDAVP	25 (27)	31 (34)	3 (9)	21 (50)	4 (2)	19 (20)	2 (4)	16 (30)

NB: Donors may be given more than one drug

TERMINAL TREATMENT

TERMINAL TREATMENT (PROVIDED IN THE OPERATING THEATRES)

AUSTRALIA

Six donors did not receive any heparin as part of their terminal treatment in 2006. Two of these were donation after cardiac death donors.

Two donors did not receive any terminal treatment at all. One of those was a beating heart donor.

NEW ZEALAND

All donors received heparin as part of their terminal treatment.

All were beating heart donors in 2006.

Figure 121

Terminal Treatment 2002 - 2006										
Drugs	Australia					New Zealand				
	2002	2003	2004	2005	2006	2002	2003	2004	2005	2006
Number of Donors	(206)	(179)	(218)	(204)	(202)	(38)	(40)	(40)	(29)	(25)
Heparin	203	177	211	193	196	37	40	37	27	25
Methyl Prednisolone	186	157	182	145	162	2	4	5	2	4
Chlorpromazine	49	37	35	30	38	2	0	1	0	0
Mannitol	8	12	4	6	11	0	0	0	0	0
Prostacyclin	89	76	93	59	58	12	21	11	10	13

NB: Donors may be given more than one drug

Figure 122

Australian States Terminal Treatment 2006 (2005)								
	QLD	NSW	ACT	VIC	TAS	SA	NT	WA
Number of Donors	36 (35)	50 (54)	4 (9)	45 (50)	8 (2)	36 (20)	2 (4)	21 (30)
Heparin	36 (33)	47 (48)	4 (9)	45 (50)	8 (2)	34 (19)	2 (4)	20 (28)
Methyl Prednisolone	13 (13)	44 (48)	4 (9)	38 (38)	7 (2)	36 (18)	2 (4)	18 (13)
Chlorpromazine	29 (22)	0 (0)	0 (0)	7 (6)	1 (0)	1 (0)	0 (2)	0 (0)
Mannitol	0 (1)	0 (0)	0 (0)	0 (0)	0 (0)	1 (0)	0 (0)	10 (5)
Prostacyclin	12 (35)	22 (54)	2 (9)	2 (50)	1 (2)	8 (20)	0 (4)	11 (30)

NB: Donors may be given more than one drug

